Stable Isotopes

for Paleodiet & Paleoenvironment

| /x / | 10/6 | /// | /, / | $^{\circ}$ / * |
|-------------------------|---------------|-----------------|-------------|-------------------------|
| reteathent microniling | CON MON LENS | 0 Obylens 1 50% | Minimum, me | Dimum, mg |
| reteathert Mictorilling | Call May land | 6 (4)/4 | H. STILL | July, |
| etile sidos s | C. \ 4.\\ | /,01/,51 | irin' | Stirl. |
| 1 / W / 6 | /6/0/ | 6/6/ | Mr. | X / |

| Standard (non-bone) samples 1 | Pricing ² | (✔) included; (♦) by request no charge; (\$) add-on | | | | | | | Sample size | | |
|--|----------------------|--|------|---|---|---|----------------|----------|-----------------|---------|--|
| δ^{13} C and δ^{15} N by EA-IRMS | \$16.50 | | | > | • | * | | | | | |
| δ^{34} S by EA-IRMS | please inquire | \$20 | \$20 | | | | | / | please inquire | | |
| δ^{13} C and δ^{18} O by GasBench-IRMS | \$21 | | | > | | V | | | | | |
| Encapsulated samples 1 | | | | | | | | | | | |
| δ^{13} C and δ^{15} N by EA-IRMS | \$8.50 | | | > | • | * | please inquire | | o inquiro | | |
| δ^{34} S by EA-IRMS | please inquire | | | | | | | / | piease iliquire | | |
| Whole bone and tooth samples (includes all required pretreatment and extraction) | | | | | | | | | | | |
| δ^{13} C & δ^{15} N on collagen | \$120 | | | > | > | > | | \$20 | 100 | 300-500 | |
| δ^{13} C and δ^{18} O on bioapatite/enamel | \$75 | | | > | | | / | | 100 | 300-500 | |
| All of the above | \$160 | / | \$20 | > | > | > | / | \$20 | 200 | 1 g | |
| ⁸⁷ Sr/ ⁸⁶ Sr on bone/tooth | \$200 | | | | | | | | 100 | 300-500 | |
| ⁸⁷ Sr/ ⁸⁶ Sr + Pb-series on bone/tooth | \$300 | | | | | | | | 100 | 300-500 | |

Please inquire about Volume Discounts and On-Campus rates for University System of Georgia & Emory University

¹Please contact us to discuss analysis of non-standard, ultra-small, or poorly preserved samples.

²Please inquire about custom suites of analyses. Additional charges may apply for samples requiring additional or difficult processing. Under certain circumstances samples may fail during the pretreatment or analytical process. We may seek recovery of partial or full cost of laboratory/analysis up to the point of failure. Rush services available for additional fee.